

1. Identification**Product identifier****Product Name** API MODIFIED**Other means of identification****Product Code(s)** 3201023**UN number or ID number** UN3077**Synonyms** None**Recommended use of the chemical and restrictions on use****Recommended use** Lubricant and sealant used for threaded connections**Restrictions on use** Do not use on oxygen lines or in oxygen enriched atmospheres.**Details of the supplier of the safety data sheet****Manufacturer Address**Bestolife Corporation
2126 Vanco Drive
Irving TX 75061
855-243-9164/972-865-8961
Telefax 214-631-3047**Emergency telephone number****Emergency Telephone** CHEMTREC U.S.: 800-424-9300, International +1 703-527-3887 (24-hours/7 days)**2. Hazard(s) identification****Classification**

| | |
|-----------------------------|-------------|
| Acute toxicity - Oral | Category 4 |
| Carcinogenicity | Category 1B |
| Reproductive toxicity | Category 1A |
| Effects on or via lactation | Yes |

Appearance Viscous semi-solid**Physical state** Solid**Odor** Petroleum**Label elements****Danger****Hazard statements**Harmful if swallowed
May cause cancer
May damage fertility or the unborn child
May cause harm to breast-fed children
Causes damage to organs through prolonged or repeated exposure

**Precautionary Statements - Prevention**

Do not handle until all safety precautions have been read and understood
 Wear protective gloves, protective clothing, eye protection and face protection
 Do not breathe dusts or mists
 Avoid contact during pregnancy and while nursing
 Wash face, hands and any exposed skin thoroughly after handling
 Do not eat, drink or smoke when using this product
 Obtain special instructions before use

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell
 Rinse mouth

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents and container to an approved waste disposal plant

Other information

May be harmful in contact with skin. Very toxic to aquatic life with long lasting effects. Very toxic to aquatic life.

Unknown acute toxicity

55.35641 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

| Chemical name | CAS No | Weight-% | Hazardous Material Information Review Act registry number (HMIRA registry #) | Date HMIRA filed and date exemption granted (if applicable) |
|--|--------------|--------------|--|---|
| Distillates (petroleum), hydrotreated heavy naphthenic | 64742-52-5 | >= 30 - < 50 | - | - |
| Lead | 7439-92-1 | >= 30 - < 50 | - | - |
| Graphite | 7782-42-5 | >= 10 - < 20 | - | - |
| Zinc | 7440-66-6 | >= 10 - < 20 | - | - |
| Copper metal powder | 7440-50-8 | >= 1 - < 5 | - | - |
| Talc | 14807-96-6 | >= 1 - < 5 | - | - |
| Quartz | 14808-60-7 | >= 1 - < 5 | - | - |
| 12-Hydroxy lithium stearate | 7620-77-1 | >= 0 - < 1.0 | - | - |
| Zinc oxide | 1314-13-2 | >= 0 - < 1.0 | - | - |
| Calcium oxide | 1305-78-8 | >= 0 - < 1.0 | - | - |
| Calcium bis(dinonylnaphthalenesulphonate) | 1474044-79-5 | >= 0 - < 1.0 | - | - |
| Calcium petroleum sulfonates | 61789-86-4 | >= 0 - < 1.0 | - | - |

*The exact percentage (concentration) of composition has been withheld as a trade secret.

Additional information

NOTE: As per Note L, the carcinogen classification does NOT apply to this preparation because the producer of "Petroleum distillates, hydrotreated heavy naphthenic" declares that it contains less than 3% DMSO extractable material by IP-346

4. First-aid measures**Description of first aid measures**

| | |
|---|--|
| General advice | Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention. |
| Inhalation | Remove to fresh air. |
| Eye contact | Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician. |
| Skin contact | Wash skin with soap and water. |
| Ingestion | Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician. |
| Self-protection of the first aider | Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8). |

Most important symptoms and effects, both acute and delayed

| | |
|-----------------|---------------------------|
| Symptoms | No information available. |
|-----------------|---------------------------|

Indication of any immediate medical attention and special treatment needed

| | |
|---------------------------|------------------------|
| Note to physicians | Treat symptomatically. |
|---------------------------|------------------------|

5. Fire-fighting measures

| | |
|---|--|
| Suitable Extinguishing Media | Dry chemical, CO ₂ , water spray or alcohol-resistant foam. |
| Large Fire | CAUTION: Use of water spray when fighting fire may be inefficient. |
| Unsuitable extinguishing media | Do not scatter spilled material with high pressure water streams. |
| Specific hazards arising from the chemical | No information available. |
| Hazardous combustion products | Carbon oxides. Lead compounds. Metal oxides. |
| Explosion data | |
| Sensitivity to mechanical impact | None. |
| Sensitivity to static discharge | None. |
| Special protective equipment and precautions for fire-fighters | Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment. |

6. Accidental release measures**Personal precautions, protective equipment and emergency procedures**

| | |
|-----------------------------|--|
| Personal precautions | Ensure adequate ventilation. |
| Other information | Refer to protective measures listed in Sections 7 and 8. |

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Use appropriate personal protective equipment (PPE). Carefully shovel or sweep up spilled material and place in suitable container. Avoid generating dust.

7. Handling and storage**Precautions for safe handling**

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers. Store in accordance with the particular national regulations.

8. Exposure controls/personal protection**Control parameters****Exposure Limits**

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH |
|---|--|--|--|
| Distillates (petroleum), hydrotreated heavy naphthenic 64742-52-5 | TWA: 5 mg/m ³ inhalable particulate matter excluding metal working fluids, highly & severely refined | TWA: 5 mg/m ³ (vacated) TWA: 5 mg/m ³ | IDLH: 2500 mg/m ³ TWA: 5 mg/m ³ STEL: 10 mg/m ³ |
| Lead 7439-92-1 | TWA: 0.05 mg/m ³ | TWA: 50 µg/m ³ | IDLH: 100 mg/m ³ TWA: 0.050 mg/m ³ |
| Graphite 7782-42-5 | TWA: 2 mg/m ³ respirable particulate matter all forms except graphite fibers | TWA: 15 mg/m ³ total dust synthetic TWA: 5 mg/m ³ respirable fraction synthetic TWA: 15 mppcf respirable dust natural (vacated) TWA: 2.5 mg/m ³ respirable dust natural (vacated) TWA: 10 mg/m ³ total dust synthetic (vacated) TWA: 5 mg/m ³ respirable fraction synthetic TWA: 15 mppcf natural | IDLH: 1250 mg/m ³ TWA: 2.5 mg/m ³ natural respirable dust |
| Copper metal powder 7440-50-8 | TWA: 0.2 mg/m ³ fume | TWA: 0.1 mg/m ³ fume TWA: 1 mg/m ³ dust and mist (vacated) TWA: 0.1 mg/m ³ Cu dust, fume, mist | IDLH: 100 mg/m ³ dust, fume and mist TWA: 1 mg/m ³ dust and mist TWA: 0.1 mg/m ³ fume |
| Talc 14807-96-6 | TWA: 2 mg/m ³ particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter | TWA: 20 mppcf if 1% Quartz or more, use Quartz limit (vacated) TWA: 2 mg/m ³ respirable dust <1% Crystalline silica, containing no Asbestos TWA: 20 mppcf if 1% Quartz or more, use Quartz limit | IDLH: 1000 mg/m ³ TWA: 2 mg/m ³ containing no Asbestos and <1% Quartz respirable dust |

| | | | | |
|--|--|---|--|--|
| Quartz 14808-60-7 | TWA: 0.025 mg/m ³ respirable particulate matter | TWA: 50 µg/m ³ (vacated) TWA: 0.1 mg/m ³ respirable dust : (250)/(%SiO ₂ + 5) mppcf TWA respirable fraction : (10)/(%SiO ₂ + 2) mg/m ³ TWA respirable fraction | IDLH: 50 mg/m ³ respirable dust TWA: 0.05 mg/m ³ respirable dust | |
| Zinc oxide 1314-13-2 | STEL: 10 mg/m ³ respirable particulate matter TWA: 2 mg/m ³ respirable particulate matter | TWA: 5 mg/m ³ fume TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 5 mg/m ³ fume (vacated) TWA: 10 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction (vacated) STEL: 10 mg/m ³ fume | IDLH: 500 mg/m ³ Ceiling: 15 mg/m ³ dust TWA: 5 mg/m ³ dust and fume STEL: 10 mg/m ³ fume | |
| Calcium oxide 1305-78-8 | TWA: 2 mg/m ³ | TWA: 5 mg/m ³ (vacated) TWA: 5 mg/m ³ not in effect as a result of reconsideration | IDLH: 25 mg/m ³ TWA: 2 mg/m ³ | |
| Chemical name | Alberta | British Columbia | Ontario | Quebec |
| Distillates (petroleum), hydrotreated heavy naphthenic 64742-52-5 | TWA: 5 mg/m ³ STEL: 10 mg/m ³ | TWA: 0.2 mg/m ³ TWA: 1 mg/m ³ | TWA: 5 mg/m ³ TWA: | TWA: 5 mg/m ³ STEL: 10 mg/m ³ |
| Lead 7439-92-1 | TWA: 0.05 mg/m ³ | TWA: 0.05 mg/m ³ Adverse reproductive effect | TWA: 0.05 mg/m ³ | TWA: 0.05 mg/m ³ |
| Graphite 7782-42-5 | TWA: 2 mg/m ³ | TWA: 2 mg/m ³ | TWA: 2 mg/m ³ | TWA: 2 mg/m ³ |
| Copper metal powder 7440-50-8 | TWA: 0.2 mg/m ³ TWA: 1 mg/m ³ | TWA: 1 mg/m ³ TWA: 0.2 mg/m ³ | TWA: 0.2 mg/m ³ TWA: 1 mg/m ³ | TWA: 0.2 mg/m ³ TWA: 1 mg/m ³ |
| Talc 14807-96-6 | TWA: 2 mg/m ³ | TWA: 2 mg/m ³ | TWA: 2 mg/m ³ | TWA: 2 mg/m ³ |
| Quartz 14808-60-7 | TWA: 0.025 mg/m ³ | TWA: 0.025 mg/m ³ | TWA: 0.10 mg/m ³ | TWA: 0.1 mg/m ³ |
| Zinc oxide 1314-13-2 | TWA: 2 mg/m ³ STEL: 10 mg/m ³ | TWA: 2 mg/m ³ STEL: 10 mg/m ³ | TWA: 2 mg/m ³ STEL: 10 mg/m ³ | TWA: 2 mg/m ³ STEL: 10 mg/m ³ |
| Calcium oxide 1305-78-8 | TWA: 2 mg/m ³ | TWA: 2 mg/m ³ | TWA: 2 mg/m ³ | TWA: 2 mg/m ³ |

Other information

These substance(s) are inextricably bound in the product and therefore do not contribute to a dust inhalation hazard.

Biological occupational exposure limits

| | |
|-------------------|--|
| Chemical name | ACGIH |
| Lead 7439-92-1 | 200 µg/L - blood (Lead) - not critical |

Appropriate engineering controls**Engineering controls**

Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

| | |
|---------------------------------------|---|
| Eye/face protection | No special protective equipment required. |
| Hand protection | PPE16 - Wear chemically resistant gloves (tested to EN 374) in combination with 'basic' employee training. Wear suitable gloves. |
| Skin and body protection | Wear suitable protective clothing. |
| Respiratory protection | When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Use appropriate respiratory protection. |
| General hygiene considerations | Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not get in eyes, on skin, or on clothing. Contaminated work clothing should not be allowed out of the workplace. Take off contaminated clothing and wash before reuse. |

9. Physical and chemical properties

Information on basic physical and chemical properties

| | |
|-----------------------|--------------------|
| Physical state | Solid |
| Appearance | Viscous semi-solid |
| Color | black copper |
| Odor | Petroleum |
| Odor threshold | |

| <u>Property</u> | <u>Values</u> | <u>Remarks • Method</u> |
|--|--------------------------|---|
| pH | No data available | None known |
| Melting point / freezing point | No data available | None known |
| Initial boiling point and boiling range | No data available | None known |
| Flash point | >= 200 °C / 392 °F | Method ASTM D 92, Cleveland open cup Distillates (petroleum), hydrotreated heavy naphthenic |
| Evaporation rate | | None known |
| Flammability | | None known |
| Flammability Limit in Air | | None known |
| Upper flammability or explosive limits | No data available | |
| Lower flammability or explosive limits | No data available | |
| Vapor pressure | | None known |
| Relative vapor density | No data available | None known |
| Relative density | 1.9 | None known |
| Water solubility | Negligible | None known |
| Solubility(ies) | | None known |
| Partition coefficient | | None known |
| Autoignition temperature | No data available | None known |
| Decomposition temperature | No data available | None known |
| Kinematic viscosity | | None known |
| Dynamic viscosity | | None known |
| <u>Other information</u> | | |
| Explosive properties | No information available | |
| Oxidizing properties | No information available | |
| VOC content | No information available | |

10. Stability and reactivity

| | |
|-------------------|--|
| Reactivity | Not classified as a reactivity hazard. |
|-------------------|--|

| | |
|---|---|
| Chemical stability | Stable under normal conditions. |
| Possibility of hazardous reactions | Can react with strong oxidizing agents. |
| Conditions to avoid | None known based on information supplied. |
| Incompatible materials | Strong oxidizing agents. |
| Hazardous decomposition products | None known based on information supplied. |

11. Toxicological information

Information on likely routes of exposure

Product Information

| | |
|---------------------|--|
| Inhalation | Specific test data for the substance or mixture is not available. |
| Eye contact | Specific test data for the substance or mixture is not available. |
| Skin contact | May be harmful in contact with skin. |
| Ingestion | Specific test data for the substance or mixture is not available. Harmful if swallowed. (based on components). |

Symptoms related to the physical, chemical and toxicological characteristics

| | |
|-----------------|---------------------------|
| Symptoms | No information available. |
|-----------------|---------------------------|

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

| | |
|------------------------|----------------|
| ATEmix (oral) | 1,706.50 mg/kg |
| ATEmix (dermal) | 4,802.70 mg/kg |

Unknown acute toxicity

55.35641 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|--|----------------------|-------------------------|--------------------------------------|
| Distillates (petroleum), hydrotreated heavy naphthenic 64742-52-5 | > 5000 mg/kg (Rat) | > 5000 mg/kg (Rabbit) | - |
| Graphite 7782-42-5 | - | - | > 2000 mg/m ³ (Rat) 4 h |
| Zinc 7440-66-6 | = 630 mg/kg (Rat) | - | - |
| Copper metal powder 7440-50-8 | - | - | > 5.11 mg/L (Rat) 4 h |
| 12-Hydroxy lithium stearate 7620-77-1 | - | > 3000 mg/kg (Rabbit) | - |
| Zinc oxide 1314-13-2 | > 5000 mg/kg (Rat) | > 2000 mg/kg (Rat) | > 5700 mg/m ³ (Rat) 4 h |
| Calcium oxide 1305-78-8 | = 500 mg/kg (Rat) | - | > 6.04 mg/L (Rat) 4 h |
| Calcium petroleum sulfonates 61789-86-4 | > 20 g/kg (Rat) | > 5000 mg/kg (Rabbit) | > 1.9 mg/L (Rat) 4 h |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| | |
|--|---|
| Skin corrosion/irritation | No information available. |
| Serious eye damage/eye irritation | No information available. |
| Respiratory or skin sensitization | No information available. |
| Germ cell mutagenicity | No information available. |
| Carcinogenicity | Contains a known or suspected carcinogen. Classification based on data available for ingredients. May cause cancer. |

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical name | ACGIH | IARC | NTP | OSHA |
|---|-------|----------|------------------------|------|
| Distillates (petroleum), hydrotreated heavy naphthenic 64742-52-5 | A2 | Group 1 | Known | X |
| Lead 7439-92-1 | A3 | Group 2A | Reasonably Anticipated | X |
| Talc 14807-96-6 | - | Group 3 | - | X |
| Quartz 14808-60-7 | A2 | Group 1 | Known | X |

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

| | |
|---------------------------------|--|
| Reproductive toxicity | Contains a known or suspected reproductive toxin. Classification based on data available for ingredients. May damage fertility or the unborn child. May cause harm to breast-fed children. |
| STOT - single exposure | No information available. |
| STOT - repeated exposure | No information available. |
| Target organ effects | Liver, Kidney, Respiratory system, Eyes, Skin, Central nervous system, Blood, Gastrointestinal tract (GI), Central Vascular System (CVS), Lungs, Gingival Tissue. |
| Aspiration hazard | No information available. |

12. Ecological information

Ecotoxicity Very toxic to aquatic life with long lasting effects.

| Chemical name | Algae/aquatic plants | Fish | Toxicity to | Crustacea |
|---------------|----------------------|------|-------------|-----------|
|---------------|----------------------|------|-------------|-----------|

| | | | microorganisms | |
|---|--|--|----------------|--|
| Distillates (petroleum), hydrotreated heavy naphthenic 64742-52-5 | - | LC50: >5000mg/L (96h, <i>Oncorhynchus mykiss</i>) | - | EC50: >1000mg/L (48h, <i>Daphnia magna</i>) |
| Lead 7439-92-1 | - | LC50: =0.44mg/L (96h, <i>Cyprinus carpio</i>) LC50: =1.17mg/L (96h, <i>Oncorhynchus mykiss</i>) LC50: =1.32mg/L (96h, <i>Oncorhynchus mykiss</i>) | - | EC50: =600µg/L (48h, water flea) |
| Graphite 7782-42-5 | - | LC50: >100mg/L (96h, <i>Danio rerio</i>) | - | - |
| Zinc 7440-66-6 | EC50: 0.11 - 0.271mg/L (96h, <i>Pseudokirchneriella subcapitata</i>) EC50: 0.09 - 0.125mg/L (72h, <i>Pseudokirchneriella subcapitata</i>) | LC50: 2.16 - 3.05mg/L (96h, <i>Pimephales promelas</i>) LC50: 0.211 - 0.269mg/L (96h, <i>Pimephales promelas</i>) LC50: =2.66mg/L (96h, <i>Pimephales promelas</i>) LC50: =30mg/L (96h, <i>Cyprinus carpio</i>) LC50: =0.45mg/L (96h, <i>Cyprinus carpio</i>) LC50: =7.8mg/L (96h, <i>Cyprinus carpio</i>) LC50: =3.5mg/L (96h, <i>Lepomis macrochirus</i>) LC50: =0.24mg/L (96h, <i>Oncorhynchus mykiss</i>) LC50: =0.59mg/L (96h, <i>Oncorhynchus mykiss</i>) LC50: =0.41mg/L (96h, <i>Oncorhynchus mykiss</i>) | - | EC50: 0.139 - 0.908mg/L (48h, <i>Daphnia magna</i>) |
| Copper metal powder 7440-50-8 | EC50: 0.0426 - 0.0535mg/L (72h, <i>Pseudokirchneriella subcapitata</i>) EC50: 0.031 - 0.054mg/L (96h, <i>Pseudokirchneriella subcapitata</i>) | LC50: 0.0068 - 0.0156mg/L (96h, <i>Pimephales promelas</i>) LC50: <0.3mg/L (96h, <i>Pimephales promelas</i>) LC50: =0.2mg/L (96h, <i>Pimephales promelas</i>) LC50: =0.052mg/L (96h, <i>Oncorhynchus mykiss</i>) LC50: =1.25mg/L (96h, <i>Lepomis macrochirus</i>) LC50: =0.3mg/L (96h, <i>Cyprinus carpio</i>) LC50: =0.8mg/L (96h, <i>Cyprinus carpio</i>) LC50: =0.112mg/L (96h, <i>Poecilia reticulata</i>) | - | EC50: =0.03mg/L (48h, <i>Daphnia magna</i>) |
| Talc 14807-96-6 | - | LC50: >100g/L (96h, <i>Brachydanio rerio</i>) | - | - |
| Zinc oxide 1314-13-2 | - | LC50: =1.55mg/L (96h, <i>Danio rerio</i>) | - | - |
| Calcium oxide 1305-78-8 | - | LC50: =1070mg/L (96h, <i>Cyprinus carpio</i>) | - | - |
| Calcium petroleum sulfonates 61789-86-4 | - | LC50: 5.7 - 9.7mg/L (96h, <i>Pimephales promelas</i>) LC50: 1.0 - 10.0mg/L (96h, <i>Pimephales promelas</i>) | - | EC50: 6.2 - 12mg/L (48h, <i>Daphnia magna</i>) |

Persistence and degradability**Bioaccumulation** There is no data for this product.

| Chemical name | Partition coefficient |
|---|-----------------------|
| Calcium bis(dinonylnaphthalenesulphonate) 1474044-79-5 | 6.6 |

Mobility in soil**Other adverse effects** No information available.**13. Disposal considerations****Disposal methods****Waste from residues/unused products** Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.**Contaminated packaging** Do not reuse empty containers. Empty containers should be taken to an approved waste handling site for recycling or disposal.**California waste information** This product contains one or more substances that are listed with the State of California as a hazardous waste.**14. Transport information****Remarks** DG for domestic (ground) transport applies to containers over 119 gallons or 450 litres.

IMDG Clause 2.10.2.7 / IATA Special Provision A197: Marine pollutants or dangerous goods packaged in single or combination packages containing a net quantity per single or inner package of 5 L or less for liquids or 5 kg for solids are not subject to any other transport regulations, provided the packaging meets general provisions.

DOT

UN number or ID number UN3077
Proper shipping name Environmentally hazardous substance, solid, n.o.s.
Transport hazard class(es) 9
Packing group III
Reportable quantity - lbs Lead: RQ (lb)= 10, Zinc: RQ (lb)= 1000.00
Reportable quantity lbs. (calculated) Lead: RQ (lb)= 33.00, Zinc: RQ (lb)= 8177.00
Reportable Quantity (RQ) (Lead: RQ (kg)= 4.54, Zinc: RQ (kg)= 454.00)
Reportable quantity kg (calculated) Lead: RQ (kg)= 15.00, Zinc: RQ (kg)= 3712.00
DOT Marine Pollutant PP
Marine pollutant Description Lead, Copper metal powder
UN3077, Environmentally hazardous substance, solid, n.o.s. (Lead, Copper metal powder), 9, III, Marine pollutant
Special Provisions 8, 146, 335, 384, 441, A112, B54, B120, IB8, IP3, N20, N91, T1, TP33
Emergency Response Guide Number 171

TDG

UN number or ID number UN3077
UN proper shipping name Environmentally hazardous substance, solid, n.o.s.
Transport hazard class(es) 9
Packing group III

| | |
|-----------------------------------|--|
| Special Provisions | 16, 99 |
| Marine pollutant name | Lead, Copper metal powder. |
| Description | UN3077, Environmentally hazardous substance, solid, n.o.s. (Lead, Copper metal powder), 9, III |
| <u>MEX</u> | |
| UN number or ID number | UN3077 |
| UN proper shipping name | Environmentally hazardous substance, solid, n.o.s. |
| Transport hazard class(es) | 9 |
| Packing group | III |
| Description | UN3077, Environmentally hazardous substance, solid, n.o.s. (Lead, Copper metal powder), 9, III |
| Special Provisions | 274, 331, 335 |
| <u>ICAO (air)</u> | |
| UN number or ID number | UN3077 |
| UN proper shipping name | Environmentally hazardous substance, solid, n.o.s. |
| Transport hazard class(es) | 9 |
| Packing group | III |
| Description | UN3077, Environmentally hazardous substance, solid, n.o.s. (Lead, Copper metal powder), 9, III |
| Special Provisions | A97, A158, A179, A197, A215 |
| <u>IATA</u> | |
| UN number or ID number | UN3077 |
| UN proper shipping name | Environmentally hazardous substance, solid, n.o.s. |
| Transport hazard class(es) | 9 |
| Packing group | III |
| ERG Code | 9L |
| Special Provisions | A97, A158, A179, A197, A215 |
| Description | UN3077, Environmentally hazardous substance, solid, n.o.s. (Lead, Copper metal powder), 9, III |
| <u>IMDG</u> | |
| UN number or ID number | UN3077 |
| UN proper shipping name | Environmentally hazardous substance, solid, n.o.s. |
| Transport hazard class(es) | 9 |
| Packing group | III |
| EmS-No | F-A, S-F |
| Special Provisions | 274, 335, 966, 967, 969 |
| Marine pollutant | P |
| Description | UN3077, Environmentally hazardous substance, solid, n.o.s. (Lead, Copper metal powder), 9, III, Marine pollutant |
| <u>RID</u> | |
| UN number or ID number | UN3077 |
| UN proper shipping name | Environmentally hazardous substance, solid, n.o.s. |
| Transport hazard class(es) | 9 |
| Packing group | III |
| Classification code | M7 |
| Special Provisions | 274, 335, 375, 601 |
| Description | UN3077, Environmentally hazardous substance, solid, n.o.s. (Lead, Copper metal powder), 9, III |
| <u>ADR</u> | |
| UN number or ID number | UN3077 |
| UN proper shipping name | Environmentally hazardous substance, solid, n.o.s. |
| Transport hazard class(es) | 9 |
| Packing group | III |
| Classification code | M7 |
| Tunnel restriction code | (-) |
| Special Provisions | 274, 335, 601, 375 |
| Description | UN3077, Environmentally hazardous substance, solid, n.o.s. (Lead, Copper metal powder), 9, III, (-) |

ADN

| | |
|-----------------------------------|--|
| UN number or ID number | UN3077 |
| UN proper shipping name | Environmentally hazardous substance, solid, n.o.s. |
| Transport hazard class(es) | 9 |
| Packing group | III |
| Classification code | M7 |
| Special Provisions | 274, 335, 375, 601 |
| Description | UN3077, Environmentally hazardous substance, solid, n.o.s. (Lead, Copper metal powder), 9, III |
| Equipment Requirements | A, PP |

15. Regulatory information**Safety, health and environmental regulations/legislation specific for the substance or mixture****International Regulations**

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories**TSCA**

All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.

| Chemical name | CAS No | US TSCA Inventory listing | US TSCA inactive/active designation |
|--|--------------|---------------------------|-------------------------------------|
| Distillates (petroleum), hydrotreated heavy naphthenic | 64742-52-5 | Present | Active |
| Lead | 7439-92-1 | Present | Active |
| Graphite | 7782-42-5 | Present | Active |
| Zinc | 7440-66-6 | Present | Active |
| Copper metal powder | 7440-50-8 | Present | Active |
| Talc | 14807-96-6 | Present | Active |
| Quartz | 14808-60-7 | Present | Active |
| 12-Hydroxy lithium stearate | 7620-77-1 | Present | Active |
| Zinc oxide | 1314-13-2 | Present | Active |
| Calcium oxide | 1305-78-8 | Present | Active |
| Calcium bis(dinonylnaphthalenesulphonate) | 1474044-79-5 | - | Unknown * |
| Ethenylbenzene polymer with 2-methyl-1,3-butadiene, hydrogenated | 68648-89-5 | Present | Active |
| Calcium petroleum sulfonates | 61789-86-4 | Present | Active |
| Magnesium oxide | 1309-48-4 | Present | Active |
| Stearic acid | 57-11-4 | Present | Active |
| Iron | 7439-89-6 | Present | Active |
| Cadmium | 7440-43-9 | Present | Active |

*Contact supplier for details. One or more substances in this product are either not listed on the US TSCA inventory, listed on the confidential US TSCA inventory or are otherwise exempted from inventory listing requirements

DSL/NDL**EINECS/ELINCS****ENCS****IECSC****KECL**

All components of this product are on the Canadian DSL.

Contact supplier for inventory compliance status.

Contact supplier for inventory compliance status.

Contact supplier for inventory compliance status.

Contact supplier for inventory compliance status.

| | |
|--------------|--|
| PICCS | Contact supplier for inventory compliance status. |
| AIIC | All components are listed on AICIS, or are exempt. |
| NZIoC | Contact supplier for inventory compliance status. |

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AIIC - Australian Inventory of Industrial Chemicals
NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

| Chemical name | SARA 313 - Threshold Values % |
|---------------------------------|-------------------------------|
| Lead - 7439-92-1 | 0.1 |
| Zinc - 7440-66-6 | 1.0 |
| Copper metal powder - 7440-50-8 | 1.0 |
| Zinc oxide - 1314-13-2 | 1.0 |

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

| Chemical name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|----------------------------------|-----------------------------|------------------------|---------------------------|----------------------------|
| Lead 7439-92-1 | - | X | X | - |
| Zinc 7440-66-6 | - | X | X | - |
| Copper metal powder 7440-50-8 | - | X | X | - |
| Zinc oxide 1314-13-2 | - | X | - | - |

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

| Chemical name | Hazardous Substances RQs | Extremely Hazardous Substances RQs | Reportable Quantity (RQ) |
|----------------------------------|--------------------------|------------------------------------|--|
| Lead 7439-92-1 | 10 lb | - | RQ 10 lb final RQ RQ 4.54 kg final RQ |
| Zinc 7440-66-6 | 1000 lb | - | RQ 454 kg final RQ RQ 1000 lb final RQ |
| Copper metal powder 7440-50-8 | 5000 lb | - | RQ 5000 lb final RQ RQ 2270 kg final RQ |

US State Regulations**California Proposition 65**

This product contains the following Proposition 65 chemicals:

| Chemical name | California Proposition 65 |
|------------------|---------------------------|
| Lead - 7439-92-1 | Carcinogen |

| | |
|---------------------|---|
| | Developmental Female Reproductive Male Reproductive |
| Quartz - 14808-60-7 | Carcinogen |
| Cadmium - 7440-43-9 | Carcinogen Developmental Male Reproductive |

U.S. State Right-to-Know Regulations

| Chemical name | New Jersey | Massachusetts | Pennsylvania |
|---|------------|---------------|--------------|
| Distillates (petroleum), hydrotreated heavy naphthenic 64742-52-5 | X | X | X |
| Lead 7439-92-1 | X | X | X |
| Graphite 7782-42-5 | X | X | X |
| Zinc 7440-66-6 | X | X | X |
| Copper metal powder 7440-50-8 | X | X | X |
| Talc 14807-96-6 | X | X | X |
| Quartz 14808-60-7 | X | X | X |
| Zinc oxide 1314-13-2 | X | X | X |
| Calcium oxide 1305-78-8 | X | X | X |
| Magnesium oxide 1309-48-4 | X | X | X |
| Cadmium 7440-43-9 | X | X | X |

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPA Health hazards 1 Flammability 1 Instability 0 Special hazards -
HMIS Health hazards * 2 Flammability 1 Physical hazards 0 Personal protection X
 Chronic Hazard Star Legend * = Chronic Health Hazard

Key or legend to abbreviations and acronyms used in the safety data sheet**Legend Section 8: Exposure controls/personal protection**

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)
 Ceiling Maximum limit value * Skin designation

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
 U.S. Environmental Protection Agency ChemView Database
 European Food Safety Authority (EFSA)
 EPA (Environmental Protection Agency)
 Acute Exposure Guideline Level(s) (AEGl(s))
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
 U.S. Environmental Protection Agency High Production Volume Chemicals
 Food Research Journal
 Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)
National Institute of Technology and Evaluation (NITE)
Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine's PubMed database (NLM PUBMED)
National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
Organization for Economic Co-operation and Development Environment, Health, and Safety Publications
Organization for Economic Co-operation and Development High Production Volume Chemicals Program
Organization for Economic Co-operation and Development Screening Information Data Set
World Health Organization

Revision date 31-Oct-2023

Revision Note

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet